

Quality Built Concrete Forms

PRE-CAST CONCRETE - FORMS - EQUIPMENT - ACCESSORIES




Leonard  
Marr,  
Inc.

Since 1973

CALL TODAY: For a quote

1-877-511-1234

Leonard Marr, Inc. has been providing concrete pre-cast forms, equipment and accessories for decades. We have a variety of construction molds to fit your needs. Concrete molds for decorative walls, retaining walls, parking and security barriers and much more. We are the leading provider of V-Lock, Hemi-Lock, PB-Lock and Cone-Lock block mold equipment.



### INTERLOCKING CONCRETE BLOCK FORMS

- RETAINING WALLS
- SECURITY WALLS
- PRODUCT DIVIDERS
- FORMS
- EQUIPMENT
- ACCESSORIES

#### About Leonard Marr, Inc.

We have over 30 years of experience in the business and can help you get started in producing blocks for you quickly and affordably.

#### We get it done right!

Whether its for landscaping, parking or other utility uses, we have the molds and accessories to get your job done.

We Also Build  
State D.O.T.  
Approved

#### The Bottom Line

We take the hassle and save you time because our molds are designed for durability, reliability and ease of use.







Leonard  
Marr,  
Inc.

Phone:

**1-877-511-1234**

Fax:

**1-877-200-4288**

**PRE-CAST CONCRETE - FORMS - EQUIPMENT - ACCESSORIES**



Quality Built Concrete Forms



[WWW.LEONARDMARRINC.COM](http://WWW.LEONARDMARRINC.COM)

PO BOX 270585  
FLOWER MOUND, TX 75027




*Turn Your Excess Concrete Into An Asset!*

## Quality Built Interlocking Excess Concrete Block Forms




**Latch Type**



**Pin Type**

**TOP VIEW**




**FRONT VIEW**



- Forms built in halves.
- Have pins on corners.
- Easy Fit-Up and Breakdown.
- 10 Gauge Walls - 3/4" Pins.
- Primed and Ready for Use.
- Any size or shape can be constructed at Customer Request.
- Liners available.

## V-Lock Block



**SIDE VIEW**



### INTER-LOCKING EXCESS CONCRETE BLOCK FORMS

#### Standard Capacities - Pin Types

1 yd.....(24x24x72)  
3/4 yd.....(24x24x48)  
1/2 yd.....(24x24x36)  
1/4 yd.....(24x24x24)  
(24x24x18)

(18x24x72)  
(18x24x48)  
(18x24x36)  
(18x24x24)


(30x30x60)  
(30x30x30)

2 yd.....(36x36x72)  
1 yd.....(36x36x36)  
(24x36x72)  
(24x36x36)


#### Optional

Blank-Outs (lift-eyes)  
Latch-Type  
Stiffeners  
Dividers


## Versatile / Corner Block Molds



**Versatile**



**L-Shape Corner**



**Corner**

#### Corners

L-Shape.....(24x72x36)  
CR-T100.....(24x24x72)  
CR-T200.....(24x24x60)  
CR-100.....(24x24x72)  
CR-200.....(24x24x60)  
VT2-100.....(24x24x72)



**LMI**  
Since 1973

Leonard  
Marr,  
Inc.

Phone:

**1-877-511-1234**

Fax:

**1-877-200-4288**

**PRE-CAST CONCRETE - FORMS - EQUIPMENT - ACCESSORIES**



Quality Built Concrete Forms

[WWW.LEONARDMARRINC.COM](http://WWW.LEONARDMARRINC.COM)



PO BOX 270585  
FLOWER MOUND, TX 75027




# Wall & Landscape Hemi-Lock Block

## Interlocking Concrete Block Forms


**Straight Blocks - Radius Blocks - Corners - Caps - Decorative Liners**  
(optional)



**Radius Block**  
(Tapered Sides)




**Straight Block**




## Straight or Radius Blocks

Beveled / Decorative Face  
(Optional)



**TOP VIEW**


Stack Block Vertical  
or Off-Set



LOCKS  
(Hemispherical)



**FRONT VIEW**



**SIDE VIEW**

## CAP MOLDS

**Straight - Inserts - Reversible - Dividers**

## Standard Capacities - Pin Types

Hm-2448-24.....(24x24x48)  
Hm-2472-24.....(24x24x72)  
Hm-2424-24.....(24x24x24)  
Hm-3048-24.....(24x30x48)  
Hm-3072-24.....(24x30x72)

Hm-2448-18.....(18x24x48)  
Hm-2472-18.....(18x24x72)  
Hm-2424-18.....(18x24x24)  
Hm-3048-18.....(18x30x48)

Hm-3060-30.....(30x30x60)  
Hm-3030-30.....(30x30x30)

Hm-3672-36.....(36x36x72)  
Hm-3636-36.....(36x36x36)  
Hm-3672-24.....(24x36x72)  
Hm-3636-24.....(24x36x36)

## Optional

Blank-Outs (lift-eyes)  
Latch-Type

## Tapered Side Inserts

Hm-2420-T3 (3" Taper)  
Hm-2440-T3 (3" Taper)  
Recessed Top Insert  
Dividers

## Corners

L-Risers

## Cap Molds

Hm-Cap-2472-8... (24x24x72)  
Hm-Cap-2448-8... (24x24x48)  
Hm-Cap-2424-8... (24x24x24)

## Cap Inserts / Dividers

Hm-Cap-DL-2472-8... (24x24x72)  
Hm-Cap-DL-2448-8... (24x24x48)  
Hm-Cap-DL-24-8..... (24x24x24)





Leonard  
Marr,  
Inc.

Phone:

**1-877-511-1234**

Fax:

**1-877-200-4288**

**PRE-CAST CONCRETE - FORMS - EQUIPMENT - ACCESSORIES**



Quality Built Concrete Forms

[WWW.LEONARDMARRINC.COM](http://WWW.LEONARDMARRINC.COM)

PO BOX 270585  
FLOWER MOUND, TX 75027





# Security-Lock Block PB-Lock Block


## Interlocking Block Molds

**Security Walls - Retaining - Straight Blocks - Corners - Caps**


**Inter-Locking Ends** (optional) - **Decorative Liners** (optional)



**Standard  
PB-Lock Block**




**TOP VIEW**




## Stack Vertical or Off-Set



**FRONT VIEW**



**SIDE VIEW**



**Standard (A) - Pin Types**

PB-2448-24.....(24x24x48)  
PB-2472-24.....(24x24x72)  
PB-2424-24.....(24x24x24)  
PB-3048-24.....(24x30x48)  
PB-3072-24.....(24x30x72)

PB-2448-18.....(18x18x72)  
PB-2472-18.....(18x18x36)  
PB-2424-18.....(18x24x48)  
PB-3048-18.....(18x24x72)  
PB-2424-18.....(18x24x24)  
PB-3048-18.....(18x30x48)

PB-3060-30.....(30x30x60)  
PB-3030-30.....(30x30x30)

PB-3672-36.....(36x36x72)  
PB-3636-36.....(36x36x36)  
PB-3672-24.....(24x36x72)  
PB-3636-24.....(24x36x36)

### Optional

Blank-Outs (lift-eyes)  
Latch-Type  
Recessed Top Insert  
Dividers

### Corners

L-Risers

### Corner Molds

L-Shape....(24x72x36)  
PB-CR-T....(24x24x72)  
PB-CR-T....(24x24x60)  
PB-CR.....(24x24x72)  
PB-CR.....(24x24x60)  
PB-VT2....(24x24x72)  
PB-VT2....(24x24x48)

### Cap Molds

PB-Cap-2472-8...(24x24x72)  
PB-Cap-2448-8...(24x24x48)  
PB-Cap-2424-8...(24x24x24)

### Cap Inserts / Dividers

PB-Cap-DL-2472-8...(24x72x8)  
PB-Cap-DL-2448-8...(24x48x8)  
PB-Cap-DL-24-8...(24x8)





Leonard  
Marr,  
Inc.

Phone:

**1-877-511-1234**

Fax:

**1-877-200-4288**

**PRE-CAST CONCRETE - FORMS - EQUIPMENT - ACCESSORIES**






# Wall & Landscape Cone-Lock Block


## Interlocking Block Molds

**Stack Vertical or Off-Set - Straight Blocks - Radius Blocks - Corners**


**- Caps - Versatile Block Mold (optional) - Decorative Liners (optional)**



**Radius Block**  
(Tapered Sides)



**Straight Block**



## Straight or Radius Blocks

### TOP VIEW




Beveled / Decorative Face  
(Optional)

### FRONT VIEW




Standard Cone

### SIDE VIEW



Stack Block Vertical  
or Off-Set



CN-2448

### Cap Molds

- CN-Cap-2472-8....(26x72x8h)
- CN-Cap-2448-8....(26x48x8h)
- CN-Cap-R2424-8....(26x24x8h)
- CN-Cap-R2448-8....(26x48x8h)

### Cap Inserts / Dividers

- CN-Cap-D-2436-8...(24x36x8)
- CN-Cap-D-2424-8...(24x24x8)
- CN-Cap-DS-24-8....(26x8)

### Standard Capacities - Pin Types

- CN-2448-24.....(24x24x48)
- CN-2472-24.....(24x24x72)
- CN-2424-24.....(24x24x24)
- CN-3048-24.....(24x30x48)
- CN-3072-24.....(24x30x72)

- CN-2448-18.....(18x24x48)
- CN-2472-18.....(18x24x72)
- CN-2424-18.....(18x24x24)
- CN-3048-18.....(18x30x48)

- CN-3060-30.....(30x30x60)
- CN-3030-30.....(30x30x30)

- CN-3672-36.....(36x36x72)
- CN-3636-36.....(36x36x36)
- CN-3672-24.....(24x36x72)
- CN-3636-24.....(24x36x36)

### Optional

Blank-Outs (lift-eyes)  
Latch-Type

### Tapered Side Inserts

Hm-2420-T3 (3" Taper)  
Hm-2440-T3 (3" Taper)  
Recessed Top Insert  
Dividers

### Corners

L-Risers

### Inter-Changeable End Panels

- CN-PM2424....(24x24)
- CN-PM2436....(24x36)
- CN-PM2448....(24x48)
- CN-PM1824....(18x24)
- CN-PM1836....(18x36)



## Mini-Landscape Block Mold



### LS (500)

**Single Cavity or Gang Unit - Straight or Curved Unit - Rock Face Liners  
Corners - Caps**



## Gang Molds for Landscape Blocks

Single Cavity  
Double Cavity  
Four Cavity  
Four Cavity - UT



#### Single Cavity Mold

LS-2412-C1....(24x12x24d)  
Double Cavity

#### Gang Mold-Four Cavity

LS-2412-C4....(24x12x24d)  
Divider

#### Gang Mold-Four Cavity UT

LS-2412-C4....(24x12x24d)

#### Decorative Liners

LS-100.....(24x12)  
LS-101.....(12x12)  
LS-101-CRN..(12x12)

#### Cap Mold

LS-CAP-2424R(24x26x6)

#### Cap Liners

LS-CAP-100....(2 Pcs)


Top Res Blankout

Corner Mold (Single)  
Left or Right


Corner Mold (Double)  
Left or Right

Corner Liner

**LSG-2412-C4**




**TOP VIEW**




**FRONT VIEW**


**LS-2412-C**




(C-BLOCK)




**SIDE VIEW**



(A-BLOCK)  
Flat Surface Block  
No Lock



(B-BLOCK)  
Flat Surface Block  
Off-Set Rear Lock



(C-BLOCK)  
Raised Face Block  
Raised Face Off-Set



## Decorative Liners

# Decorative - Durable - Urethane-type

*Turn your excess concrete into an asset!* (use non-solvent release) *Many Styles to Choose From!*

**LN-100**

Deep River Rock

**LN-400**

Running Bond  
-Limestone 2R

**LN-200**

Running Bond  
-Limestone 3R

**LN-500**

Ashler

**LN-300**

Flagstone

**LN-700**

Lava Rock

**LN-800**

Dry Stack Ashler

**LN-900**


Heavy Rock



## Wall Cap Mold

Standard Upright

V-Bottom Divider-Insert 45 Degree-Insert



### Standard Units:


26x72x10  
26x72x8  
26x72x6

### Optional:

Divider Insert  
45 Degree Insert  
Latch-Type (One Corner)  
Chamfered Sides

## Cap & Base Molds

Inverted Cap Mold  
for Decorative Walls




### Cap Mold:

-26x72x8  
-Divider Insert - for making different lengths  
-45 Degree Insert - makes left and right turn

Inverted Cap Mold  
Divider Insert  
45 Degree Insert

## Utility Vault Catch Basin Molds



Optional  
Riser

Thinwall  
Knockout

Box Width  
(A)

Box Width  
(B)

Riser  
Height  
(D)

Overall Box  
Height

**Built to  
Any Size**

### Standard Sizes

Box Size 2 ft.  
Box Size 3 ft.  
Box Size 4 ft.


### OPTIONAL

Knock-Outs / Risers  
(Also Grease and  
Sand Trap Molds)

**WE ALSO BUILD  
STATE D.O.T.  
APPROVED**



## Concrete Molds for Portable & Stationary Fencing



### PF - 101

#### Dimensions:

Base Width  
Top Width  
Height




#### Length:

5 ft.  
6 ft.  
8 ft.  
10 ft.  
12 ft.

### PF - 102

#### Dimensions:


Base Width  
Top Width  
Height



#### Length:



5 ft.  
6 ft.  
8 ft.  
10 ft.  
12 ft.

## Quality Built Concrete Wall Molds



T-Wall Molds

Extended  
Inner Leg For  
Weight  
Distribution



### Standard Heights & Widths

#### Units 72" in Height

WM-24-72 (24" Wide)  
WM-36-72 (36" Wide)  
WM-48-72 (48" Wide)

#### Units 120" in Height

WM-24-120 (24" Wide)  
WM-36-120 (36" Wide)  
WM-48-120 (48" Wide)

#### Units 96" in Height


WM-24-96 (24" Wide)  
WM-36-96 (36" Wide)  
WM-48-96 (48" Wide)

#### Construction

-10 ga. Steel Panels  
-Formed Channel Reinforced  
-1/4" Thick Gusset Reinforced  
-Pin or Bolt Together Panels



## Quality Built Parking Barrier Forms




### Parking Barrier Forms

Standard Units 72 long

84" Units (Additional)

96" Units (Additional)



### Easy-Strip Gang Molds

Standard Units 72" Long

C-101 (Per Unit in Nest)

C-102 (Per Unit in Nest)

C-103 (Per Unit in Nest)


C-104 (Per Unit in Nest)

Optional-

Upgrade Unit Tapered Pins Latched Slide Bars I-Beam Bottom

84" Units (Additional)

96" Units (Additional)




## Utility Molds Built to Any Size


- Quality Built
- Heavy Duty
- Easy-Strip

1/4" Side Walls & Core  
Up-Rite/Inverted


- Drainage - Catch Basin/Inlets
- Environmental - Containment
- Landscape - Blocks/Planters
- Agricultural (Feeder/Water)



**STATE D.O.T.  
APPROVED**




Containment Molds



Landscape-Blocks/Planters



### Standard Utility Trench Molds:

- 1'-0"x1'-6"x (10'-0" or 20'-0")
- 1'-1"x2'-0"x10'
- 2'-2"x2'-0"x10'
- 2'-6"x2'-6"x20'
- 3'-0"x3'-6"x20'





## Median, Traffic & Security **Barrier Molds**



**STATE D.O.T.  
APPROVED**




### **Concrete Divider Forms** Standard Units (casting poured uprite)

10 ft. (without bottom plates)  
8 ft. (without bottom plates)  
5 ft. (without bottom plates)


### **Inverted Divider Mold** Standard Units (single or double cavity)

10 ft.  
8 ft.  
5 ft.


## **Security Barriers**



Decorative



Slope Face




Single Face

**STATE D.O.T.  
APPROVED**

**Quality Built - Heavy Duty**

\*Call for Pricing







**Quality**




**Built**




**Concrete**




**Forms**




**Inter-Locking Excess  
Concrete Block Molds**



**Road-Median  
Barrier Molds**



**Parking Block Molds**



**Decorative Liners**

**Single  
or Ganged**